



Phonexia Speech Engine

Speech and Voice Biometrics Technologies
for Business Solutions

Solving Everyday Challenges
Through Voice






Build innovative business solutions with **Phonexia Speech Engine's** state-of-the-art voice biometrics and speech technologies.



Phonexia Technologies




Typical Use Cases



Speech Analytics


Perform comprehensive and highly complex content analysis of speech. Uncover demographic information about a speaker (including their gender, language, and dialect), track the interactions between a client and a contact center's agent and detect cross-talking, silent spots, call topics, and other important business insights automatically.



Voicebot Enabler

Provide customers with a frictionless customer experience powered by Phonexia's cutting-edge voice biometrics and speech technologies. Integrate Phonexia technologies into voice-enabled solutions and transform ordinary IVRs into smart IVRs, secure voicebot solutions with voice verification, and offer seamless self-service over the phone.

Precise Finetuning



Phonexia Speech Engine comes with a built-in dictionary for custom words, which can be easily used to improve Speech to Text accuracy by adding the words not included in the default dictionary such as product names, dialect-specific words, slang phrases, and others. It can also be used to add alternative pronunciations of the words already present in the dictionary to accommodate local and dialect specifics.



Phonexia Speech Engine enables the defining of an unlimited number of single- or multi-word phrases expected to appear during speech. Such words are then favored over similarly sounding words or phrases, greatly improving the Speech to Text accuracy. It is particularly useful for voicebot scenarios, where specific words and phrases are preferred in the speech transcription of an answer to a particular question.

Integration Possibilities

• Interface

Phonexia's cutting-edge speech and voice biometrics technologies are powered by **Phonexia Speech Engine**, which is distributed as a **RESTful** server application.

• Evaluation

Phonexia Speech Engine's technologies can be quickly evaluated using a rich-GUI Phonexia application and an evaluation license.

• Deployment

Phonexia Speech Engine can be deployed on premises or in a virtualized environment.

• Recommended Hardware

For production deployment, a 64-bit server processor is recommended with a higher L3 cache (the higher, the better). For example, the Intel® Xeon® processors E5/E7/Gold/Platinum or Intel® Core™ processors i5/i7/i9.

Hardware configuration depends on the use case scenario.
Phonexia provides advanced consultation upon a request.



Supported Languages



Speech to Text

| LANGUAGES |
|--------------------|
| Arabic (Gulf) |
| Arabic (Levantine) |
| Chinese Mandarin |
| Croatian |
| Czech |
| Dutch |
| English (US) |
| Farsi |
| French |
| Georgian |
| German |
| Italian |
| Pashto |
| Polish |
| Russian |
| Slovak |
| Spanish |
| Swedish |
| Turkish |
| Vietnamese |



Language Identification

| LANGUAGES | LANGUAGES |
|-------------------|---------------------|
| Albanian | Kazakh |
| Amharic | Khmer |
| Arabic_Egypt | Kirundi_Kinyarwanda |
| Arabic_Gulf | Korean |
| Arabic_Iraqi | Kurdish |
| Arabic_Levantine | Lao |
| Arabic_Maghrebi | Lithuanian |
| Arabic_MSA | Luxembourgish |
| Assamese | Macedonian |
| Azerbaijani | Ndebele |
| Bangla_Bengali | Oromo |
| Belarusian | Pashto |
| Bulgarian | Polish |
| Burmese | Portuguese |
| Cebuano | Punjabi |
| Chinese_Cantonese | Romanian |
| Chinese_Mandarin | Russian |
| Chinese_Min_Nan | Serbo-Croat-Bosnian |
| Chinese_Wu | Shona |
| Chuvash | Slovak |
| Czech | Slovenian |
| Dari | Somali |
| Dutch | Spanish_American |
| English_American | Spanish_European |
| English_British | Swahili |
| English_Indian | Swedish |
| Farsi | Tagalog |
| French | Tamil |
| Georgian | Telugu |
| German | Thai |
| Greek | Tibetan |
| Guarani | Tigrinya |
| Haitian_Creole | Tok_Pisin |
| Hausa | Turkish |
| Hindi | Ukrainian |
| Hungarian | Urdu |
| Indonesian | Uzbek |
| Italian | Vietnamese |
| Japanese | Zulu |

Have you not found a desired language or dialect?

Contact your Area Sales Manager for a product roadmap and the terms for a project-based, new language model development.

License Distribution Options

- **HW profile licensing key**
On-premises installation
- **Licensing server**
On-premises or cloud-based installation
- **NET-based license**
For evaluation and testing purposes

Input Formats

- **WAV or RAW**
(PCM 8 or 16 bits, IEEE float 32-bit, A-law or Mu-law, ADPCM)
- **FLAC**
- **OPUS**
- **8 kHz+ sampling frequency**
(other audio formats are automatically converted)

Supported OS

- **Windows 64-bit (x86_64)**
- **Linux 64-bit (x86_64)**

About Phonexia

Founded in 2006, Phonexia is a Czech innovative software company with a vision to solve the world's everyday challenges through voice. Closely cooperating with the Brno University of Technology, Phonexia

has been transforming the latest science into the everyday reality of cutting-edge voice biometrics and speech technologies used by commercial and governmental projects in more than 60 countries.

Phonexia Clients and Partners



SKODA



Comdata Group



TOVEK



And many more...

Why Phonexia?



World-Class Technology

Phonexia has a close relationship with a **NIST-renowned** speech research group at the **Brno University of Technology**, with immediate access to the latest scientific breakthroughs.



Support that Cares

Phonexia support is not about solution-evading emails—our European-based team of experts always tackles any challenge you throw at them, as **we care about your success.**




Worldwide Projects


Phonexia speech recognition and voice biometrics technologies have been used in a huge variety of commercial and governmental **projects in more than 60 countries.**



PHONEXIA

 +420 511 205 265

 info@phonexia.com

 Phonexia s.r.o.
Chaloupkova 3002/1a
612 00 Brno
Czech Republic
European Union



phonexia.com